

MATERIAL SAFETY DATA SHEET**SECTION 1 — PRODUCT IDENTIFICATION**

Product identifier: 0194 - SELECT ROBOSTRIP FF **WHMIS Classification:** E
Product use: Stripper
Product Code Number: 65023
MSDS Number: 0194

Supplier name and address: **Manufacturer's name and address:**
 Rockwater Professional Products Refer to Supplier
 PO Box 8025, Stn A, 96 Clyde Ave.
 St. John's, NL A1B 3M7
 (709) 745-7625 **Emergency Telephone #: CANUTEC (613) 996-6666**

SECTION 2 — CHEMICAL COMPOSITION/HAZARDOUS INGREDIENTS

<u>Ingredients</u>	<u>CAS #</u>	<u>% (weight)</u>	<u>LD₅₀</u> <u>mg/kg</u> <u>oral/rat</u>	<u>LD₅₀</u> <u>mg/kg</u> <u>skin/rabbit</u>	<u>LC₅₀</u> <u>ppm</u> <u>inh/rat</u>
Sodium metasilicate	6834-92-0	1-5	1153	n/av	n/av
Monoethanolamine	141-43-5	1-5	1720	1000	n/av

SECTION 3 — HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

Routes of entry: Inhalation, ingestion, skin and eye contact.

Signs and symptoms of short-term (acute) exposure:

Inhalation: Moderately irritating to the eyes, nose, throat and lungs. High concentration of vapours will cause irritation, or if inhaled as a mist.

Skin contact: Dangerous in case of skin contact. May cause tissue damage. Effects may be delayed.

Eye contact: Contact can result in corneal damage or blindness.

Ingestion: Harmful or fatal if swallowed. May burn mouth, throat and stomach.

Effects of long-term (chronic) exposure: See Section 11. **Other important hazards:** None reported.

SECTION 4 — FIRST AID MEASURES

Inhalation: Remove victim to fresh air. If symptoms persist, call a physician.

Skin contact: Flush skin with plenty of water, for at least 15 minutes, while removing contaminated clothing. Call physician immediately. Wash contaminated clothing before reuse.

Eye contact: IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open.

Ingestion: Immediately call physician. DO NOT induce vomiting. Give several glasses of water. Never give anything by mouth if victim is unconscious or convulsing.

SECTION 5 — FIRE FIGHTING MEASURES

Fire hazards/conditions of flammability: May burn. Contains combustible liquid.

Flash point (Method): Not available. °C (°F)

Lower flammable limit (% by volume): n/av

Upper flammable limit (% by volume): n/av

Explosion data: *Sensitivity to mechanical impact:* Not sensitive. *Sensitivity to static discharge:* Slightly sensitive.

Oxidizing properties: None.

Auto-ignition temperature: None.

Suitable extinguishing media: As appropriate for burning of surrounding products.

Special fire-fighting procedures/equipment: n/ap

Hazardous combustion products: n/ap

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Personal precautions: Wear adequate personal protective equipment.

Environmental precautions: No special precautions required.

Spill response/Cleanup: Recover and reuse as much of the product as possible.

Prohibited materials: None known.

SECTION 7 — HANDLING AND STORAGE

Safe handling procedures: Product is corrosive. Avoid contact with skin, eyes and clothing. Wear proper protective equipment, including rubber gloves.

Storage requirements: Store in a cool, dry area. Keep away from incompatible materials, (see Sect. 10)

Special packaging materials: Plastic containers.

SECTION 8 — EXPOSURE CONTROLS AND PERSONAL PROTECTION

Ventilation and engineering controls: Mechanic ventilation should be adequate.

Respiratory protection: Normally not required.

Protective gloves: Rubber.

Eye protection: Safety glasses, or chemical goggles.

Other protective equipment: As required by workplace standards.

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Physical form, color and odor: Clear, slightly amber liquid. Non-specific odor.

Odor threshold: n/av

pH: 12.5-13.5

R.I.: 15 (BRIX)

Boiling point: n/av

Melting/freezing point: n/av

Vapour pressure: n/av

Solubility in water: Very soluble.

Coefficient of oil/water distribution: Essentially zero.

Specific gravity or relative density (water = 1): 1.06

Vapour density: n/ap

Volatile organic compounds (VOC's): n/ap

Evaporation rate: n/ap

Percent Volatile by Weight: n/av

SECTION 10 — REACTIVITY AND STABILITY DATA

Stability and reactivity: Normally stable.

Conditions to avoid: Unintentional contact with water and moisture. Keep containers tightly closed, when not in use.

Materials to avoid: Strong acids, reactive metals, and ammonium salts.

Hazardous decomposition products: Caustic fumes, oxides of nitrogen, hydrogen gas.

SECTION 11 — TOXICOLOGICAL INFORMATION

LD₅₀: Not established for this product. See Section 2 for values for ingredients.

LC₅₀: Not established for this product. See Section 2 for values for ingredients.

Exposure limits: ACGIH-TLV – Not established.

Carcinogenicity: None of the ingredients is listed by IARC, ACGIH, NTP, and OSHA as carcinogen.

Teratogenicity, mutagenicity, other reproductive effects: There is no human or animal information available on teratogenicity, reproductive toxicity, or mutagenicity.

Sensitization to material: Not reported.

Conditions aggravated by exposure: Skin conditions.

Synergistic materials: None known.

SECTION 12 — ECOLOGICAL INFORMATION

Environmental effects: Product is corrosive. High pH (alkalinity) of material is harmful to aquatic life.

SECTION 13 — WASTE DISPOSAL

Handling for disposal: Reuse if possible.

Methods of disposal: Follow local, provincial, state and federal regulations.

SECTION 14 — TRANSPORTATION INFORMATION

Shipping description: TDG - Corrosive liquid, basic, organic, n.o.s., (Ethanolamine), Class 8, UN3267, PG III

Please note: This shipping description is of a general nature only. It does not consider package sizes, modes of transport and other specific circumstances. Appropriate regulations should be referenced, and handling for transportation of dangerous goods/hazardous materials should be performed by trained personnel only.

SECTION 15 — REGULATORY INFORMATION

WHMIS information: E

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and this MSDS contains all the information required by the CPR.

SECTION 16 — OTHER INFORMATION

Prepared by: Armstrong Manufacturing Inc.

Telephone number: (905) 566-1395

Preparation date: May 3, 2013

References:

1. ACGIH, Threshold Limit Values and Biological Exposure Indices for 2001.
2. International Agency for Research on Cancer Monographs, Supplement 7, 1988.
3. Canadian Centre for Occupational Health and Safety. CHEMINFO database.
4. Material Safety Data Sheets from raw materials suppliers.
5. N. Irving Sax. Dangerous Properties of Industrial Materials, Seventh Edition.

n/ap Not applicable

n/av Not available

MV/mt